



th

M&D
ADVANCE TECHNOLOGY

since 1996

Anniversary



SAVE man



SAVE time



SAVE cost



SAVE energy

Good advisor & All parts stock in Thailand



PCR-1X For Fire Tube Boiler

•Lightweight •Easy to use •Easy to move



M&D ADVANCE TECHNOLOGY .CO.,LTD

121/36-39 Soi Ruammitpattana Section3 Tahrang Bangkhen Bangkok 10220 Thailand

Tel:(662) 9984300-3 Fax:(662) 9635586 E-mail : mandd@mandd.info

www.mandd.info www.thaitubecleaner.com



Anniversary since 1996

FOR FIRE TUBE BOILER

Cleaning for I.D. Tube 1.1/4"

Model PCR-1X

Power Unit.

Power unit are produced with heavy duty chassis, fitted with the highest standard motor. And Push starters are fitted with AMP. Overload to avoid damage

Specifications

- Electric motor 3HP., 2900 rpm.
- Power supply 380v. , 50HZ , 3 phase
- Push button starter with overload relays 3.7-5.5 Amp.,IP65
- Dimensions 320 x 500 x 400 mm.
- Weight 20 Kg.



| Model | Length mtr. | Inner Shaft | | Outer Casing | | Tube I.D. | |
|-------------|----------------|-------------|-----|--------------|-----|-----------|-------|
| | | Inc. | mm. | Inc. | mm. | Inc. | mm. |
| HFS 1025-33 | 10 | 3/8" | 10 | 1" | 25 | 1.1/4"-2" | 31-50 |
| HFS 1025-50 | 15 | | | | | | |
| HFS 1025-65 | 20 | | | | | | |
| HFS 1330-33 | 10 | 1/2" | 13 | 1.1/8" | 30 | 1.1/2"-UP | 38-UP |
| HFS 1330-50 | 15 | | | | | | |
| HFS 1330-65 | 20 | | | | | | |

HOSE FLEXIBLE SHAFT

The Quality and long life Flexible Drive dry application.


Specifications.

- >Rubber casing heat and oil resistant.
- >Wire steel Reinforcement.
- >Coil steel in Flexible Casing for Flexible Shaft protection.
- >Flexible shaft is double wound in opposing layers made out of high tensile-spring steel wires, made to absolute-vibration



Flexible Drive Protect By Safety Intelligence License

WIRE BRUSH For Fire Tube Boiler



"DS" for removing light scale and burnishing all types of tube



"TH" for soot removal from smoke tube, general cleaning




"H" TYPE for Cleaning straight and curved tube



"YT" TYPE for fully blocked tube of deposit. Use with H-Type

| Size | | "DS" Double Spiral Brush | "TH" Turk Head Brush | "H" Type Cutter Heads | "YT" Type Cutter Heads |
|--------|------|--------------------------|----------------------|-----------------------|------------------------|
| inch | mm. | Model | Model | Model | Model |
| 1.1/4" | 31.7 | DS-10 | TH-10 | H-10 | - |
| 1.3/8" | 35.0 | DS-11 | TH-11 | H-11 | - |
| 1.1/2" | 38.1 | DS-12 | TH-12 | H-12 | YT-10 |
| 1.5/8" | 41.3 | DS-13 | TH-13 | H-13 | |
| 1.3/4" | 44.5 | DS-14 | TH-14 | H-14 | |
| 1.7/8" | 47.6 | DS-15 | TH-15 | H-15 | YT-14 |
| 2" | 50.8 | DS-16 | TH-16 | H-16 | |
| 2.1/8" | 54.0 | DS-17 | TH-17 | H-17 | YT-16 |
| 2.1/4" | 57.1 | DS-18 | TH-18 | H-18 | |
| 2.3/8" | 60.3 | DS-19 | TH-19 | H-19 | YT-18 |
| 2.1/2" | 63.5 | DS-20 | TH-20 | H-20 | |
| 2.5/8" | 66.7 | DS-21 | TH-21 | H-21 | |
| 2.3/4" | 70.0 | DS-22 | TH-22 | H-22 | |
| 2.7/8" | 73.0 | DS-23 | TH-23 | H-23 | |
| 3" | 76.2 | DS-24 | TH-24 | H-24 | |
| 3.1/2" | 79.4 | DS-28 | TH-28 | H-28 | |
| 4 | 82.5 | DS-32 | TH-32 | H-32 | |



Since M&D ADVANCE TECHNOLOGY CO., LTD.

was established in 1996, until today, we have been very proud of our growth and success.

The company's prosperity is our suppliers, and the loyalty of our customer. Fundamental to our success has been our continuous focus and attention to providing the best service possible to our customers.

Both now and in the future, we at M&D. recognize the importance of offering the best product available in the world to ensure better environment for everyone. It our goal to help provide the best possible quality of life for today's generation and for generations in the future.



ADVANCE TECHNOLOGY



Distributor: